

In Asthma

NOTHING IS FASTER

NOTHING IS MORE EFFECTIVE



PRE-MICRONIZATION assures particle size for maximum effectiveness

Medihaler-EPI® For quick relief of bronchospasm of any origin. More rapid than injected epinephrine in acute allergic attacks.

Epinephrine bitartrate, 7.0 mg. per cc., suspended in inert, nontoxic aerosol vehicle. Contains no alcohol. Each measured dose 0.15 mg. free epinephrine.

Medihaler-ISO® Unsurpassed for rapid relief of symptoms of asthma and emphysema.

Isoproterenol sulfate, 2.0 mg. per cc., suspended in inert, nontoxic aerosol vehicle. Contains no alcohol. Each measured dose 0.06 mg. free isoproterenol.

MEDIHALER® *For Ample Air Right Now!*

Millions of asthmatic attacks have been aborted faster, more effectively, more economically with Medihaler-Epi and Medihaler-Iso. Automatically measured dosage and true nebulization...nothing to pour or measure...One inhalation usually gives prompt relief.

Prescribe Medihaler medication with Oral Adapter as first prescription. Refills available without Oral Adapter.

The Medihaler Principle of automatically measured-dose aerosol medications in spillproof, leakproof, shatterproof, vest-pocket size dispensers also available in Medihaler-Phen® (phenylephrine, hydrocortisone, phenylpropanolamine, neomycin) for prompt, lasting relief of nasal congestion.



Northridge,
California

knocks the "stuffing" out of congested noses



for seasonal coryza, nasopharyngitis, upper-respiratory congestion

METRETON NASAL SPRAY

METICORTELONE plus CHLOR-TRIMETON

- swift, safe relief without rebound
- prompt drainage...stops sneezing, itching, discharge
- no sympathomimetic effects
- safe for cardiac, hypertensive, pregnant and elderly patients

supplied: 15 cc. plastic squeeze bottle

for systemic control of allergies

METRETON TABLETS

METICORTEN and CHLOR-TRIMETON with ascorbic acid

topical control of ocular allergies

METRETON OPHTHALMIC SUSPENSION

METICORTELONE plus CHLOR-TRIMETON

METRETON,[®] brand of corticoid-antihistamine compound.


METICORTELONE,[®] brand of prednisolone.

METICORTEN,[®] brand of prednisone.

CHLOR-TRIMETON,[®] brand of chlorphenpyridamine preparations.

SCHERING CORPORATION • BLOOMFIELD, NEW JERSEY

Schering



**BOOMERANG?
—NO!**

When your patient calls again
—it will be to say “thanks”
because
symptoms do not recur—
complications do not supervene

AZO GANTRISIN
ANALGESIC ANTIBACTERIAL

Especially for urinary tract infections

ROCHE LABORATORIES

Division of Hoffmann-La Roche Inc
Nutley 10, N.J.



GANTRISIN® BRAND OF SULFISOXAZOLE

The Bulletin of The New York Academy of Medicine, Vol. 34, No. 10, October, 1958. Published Monthly by The New York Academy of Medicine, 2 East 103 Street, New York 29, N. Y. Entered as second-class matter February 3, 1928, at the Post Office at New York, N. Y., under the Act of August 24, 1912. Annual subscription United States and Canada \$8.00. All other countries \$9.00. Single copies 90c.


ing" individuals (Queries and Minor Notes). J.A.M.A. 163:515, Feb. 9, 1957. 192. Hollister, L. E., Elkins, H., Hiler, E. C. 9, May 9, 1957. 193. Hollister, L. E., Stannard, A. W. and Drake, C. F.: abek, J. E., Thomas, O. C. and Segura, J.: Toxic reaction to 2-methyl-ky, W.: Allergic purpura due to meprobamate (Correspondence). Canad. town) in surgery of eye, ear, nose and throat. Eye, Ear, Nose & Throat. , meprobamate -- Its use for pain associated with cancer, preliminary espondence). J.A.M.A. 161:644, June 16, 1956. 199. Kugelmass, I. N.: 169:323, June 1956. 200. Lamphier, T. A.: Drug addiction (Correspond- stoperative surgical care. Ann. New York Acad. Sc. 67:810, May 9, 1957. s. 3:122, Feb. 1956. 203. Lemere, F.: New tranquilizing drugs. North- 160:1431, April 21, 1956. 205. Lemere, F.: Mait-acting properties of ere, F.: Bromalure (pavine) in the treatment of psychiatric disorders. at. & Symp. 75:1431, March 1957. 206. Levan, N. E. and Mundy, C. F.: Un- ud Wright, E. T.: Use of tranquilizers in diseases of the skin -- A luation of meprobamate in disturbed and psychotic children. Ann. New eness of Miltown in the treatment of childhood epilepsy. Pediatrics 17: Southwestern Med. 37:428, July 1956. 213. McGee, R. R.: Drug reaction eatment of chronically ill psychiatric out-patients. Pennsylvania M. J. lce use. Wisconsin M. J. 56:498, April 1957. 216. Mitropoulos, N. S., Boyd, 57. 217. Olszki, W. A.: Treatment of anxiety states with meprobamate s: Treatment of anxiety states with meprobamate. Ann. New York Acad. .A.M.A. 163:489, Feb. 9, 1957. 220. Pelner, L.: Meprobamate (Correspon- dics in neuropsychiatric patients. Read at the American Psychosomatic anquilizing drug with muscle relaxant properties in psychotic cases, in 5:131. 223. Pennington, V. M.: Comparative study of six ataxics in two-year comparative study of ataxics in neuropsychiatric patients. J. e) with psychotic patients. Am. J. Psychiat. 114:257, Sept. 1957. 226. ington, V.M.: Addiction to meprobamate questioned (Correspondence). North- and related disorder. J.A.M.A. 163:1000, July 14, 1956. 227. Pevey, J. bital, meprobamate and miltown as experimental agents. Pharmacol. & e treatment of emotional disorders. Am. Pract. & Digest Treat. 7:1573, st Med. 56:453, April 1957. 232. Ruchwarger, A.: Meprobamate in anx- shia, E. ■ **does not impair mental efficiency or physical** re-anes- effects of ward tension on the quality and quantity of tranquilizer utili- muscle relaxants in disorders of muscle tone. Ann. New York Acad. Sc. isodes 143:100, treated with meprobamate. (Correspondence) Lancet 2: of Miltown (2-methyl-2-n-propyl-1,3-propanediol dicarbamate). J.A.M.A. ing agent. J. Clin. & Exper. Psychopath. 17:7, March 1956. 239. Sen- J. 39:67, Dec. 1956. 245. Shane, A. M. and Hirsch, S.: Three cases erapy in the aged. Differences in meprobamate and miltown. ©M. Times ate (Miltown) in rheumatic diseases. J.A.M.A. 163:35, Feb. 16, 1957. heumatic diseases. Ann. New York Acad. Sc. 67:810, May 9, 1957. 244. 5:152, Feb. 1957. 245. Smith, R. T.: The newer drugs in the treat- h, 1957, pp. 353-358. 246. Sokoloff, O. J.: Meprobamate (Miltown) as 47. Stein, C. G., Chervin, M. and van Franken, B.: Reaction follow- H.: The use of tranquilizing drugs in gynecology. West. J. Surg. 64: 56:354, Feb. 21, 1957. 250. Thal, N.: Premedication for electroshock 6. 251. Thimann, J.: Newer drugs in the treatment of acute alcoholism eorgia, Dec. 28, 1955. 252. Thimann, J. and Gauthier, J. W.: Miltown 1956. 253. Tucker, W. I.: The place of Miltown in general practice. of meprobamate therapy in a chronic schizophrenic population. Am. J. .: & Obst. 104:233, Feb. 1957. 256. Turvey, S. E. C.: Meprobamate for . 257. van de Erve, J. and Childs, D. R.: Meprobamate reactions. J. taractic drugs). Prensa méd. argent. 43:2667, Aug. 31, 1956. 259. Wein-

proven effective and unusually well tolerated in over 600 clinical studies **Miltown**


WALLACE LABORATORIES, New Brunswick, New Jersey

studies in 706 patients
show that

DESITIN[®] OINTMENT



promotes
“early, clean and healthy healing”¹



in traumatic and infectious wounds

- burns (first, second, third degree)
- abdominal fistulae and wounds
- pressure sores and ulcers
- pilonidal cysts and sinuses
- ano-rectal wounds • chest wounds

samples and new reprint¹ on request.

DESITIN CHEMICAL COMPANY
812 Branch Ave., Providence 4, R. I.

¹. Grayzel, H. G., and Schapiro, S.: Western J. Surgery, Obstet. & Gyn., Oct. 1956.



Ortho's

most spermicidal contraceptive

for

your most fastidious patients

Delfen[®]

VAGINAL CREAM

"...is highly spermicidal. ... Its relative simplicity
makes it very acceptable to the patient."^{*}

*Barns, W., Clark, F., Jennings, M., Peltier, V., Olson, W., Woot, L., and Taylor, E. G. *Birth Control*, 40:155, 1966.
Concentration: Nonoxonyl polyoxyethylated 2% in octyl-2-oxocaproic acid in oil A.S.



FOR **TOTAL**
MANAGEMENT
 OF YOUR **HYPERTENSIVE**
PATIENTS

to relieve pressures
 in your patients

to relieve pressures
 on your patients

rely upon

RAUDIXIN

Squibb Whole Root Rauwolfia Serpentina

"the best symptom reliever"

"We are in firm agreement with Wilkins who states that Rauwolfia* is the best symptom reliever. It relieves anxiety and tension, particularly the tension headache of the mild hypertensive patient, better than any other drug. It lowers blood pressure and slows the pulse much more efficiently than the barbiturates. It is not habit forming and is synergistic with all other known hypotensive agents."

Finnerty, F. A. Jr.: New York State J. Med. 57: 2957 (Sept. 15) 1957.

Raudixin—Whole Root Rauwolfia—is often preferred to reserpine in private practice because of the additional activity of the whole root."

Corrin, R. M.: Am. Pract. & Dig. Treatment 8: 721 (May) 1957.

Dosage: Two 100 mg. tablets once daily; may be adjusted within a range of 50 to 500 mg. daily. **Supply:** 50 and 100 mg. tablets, bottles of 100, 1000 and 5000.

Squibb Quality—
 the Priceless Ingredient



SQUIBB

*RAUDIXIN® IS A SQUIBB TRADEMARK. *RAUDIXIN IS THE SQUIBB BRAND OF RAUWOLFIA SERPENTINA


CAMBRIDGE CARDIAC DIAGNOSTIC INSTRUMENTS

"Versa-Scribe" The Versatile Electrocardiograph



The completely new portable instrument providing greatly improved performance and versatility not found in any other direct writing electrocardiograph. Small size (5¼" x 10½" x 17") and low weight—20 pounds.

Multi-Channel Recorders



For physiological research, cardiac catheterization and routine electrocardiography. Versatile and comprehensive, this series of new multi-channel recorders, when used with pertinent transducers, provides simultaneous indication and recording of EKGs, EEGs, stethograms and many other physiological phenomena. Various combinations of these functions can be traced simultaneously on a single record. Available in Photographic Recording and Direct Writing models.

**ASSURE THE DOCTOR OF
Universally Accepted Records
Fundamental Accuracy
Lifetime Dependability
Minimum Maintenance Expense**

"Simpli-Trol" Portable Model Electrocardiograph



A string galvanometer instrument . . . the standard of comparison, light in weight and simple to operate. Entire equipment in one mahogany case, 8" x 19" x 10"; weight 30 pounds. May be arranged for heart sound and pulse recording.

Operating Room Cardioscope



Provides continuous observation of the Electrocardiogram and heart-rate during surgery. Warns of approaching cardiac stand-still. Explosion-proof. This cardioscope is a "must" for the modern Operating Room.



"Simpli-Scribe" Direct Writer Electrocardiograph

Provides the Cardiologist, Clinic or Hospital with a portable direct writing Electrocardiograph of utmost usefulness and accuracy. Size 10½" x 10½" x 11"; weight 28 pounds, complete with all accessories.

Audio-Visual Heart Sound Recorder



Enables the Doctor to simultaneously HEAR, SEE and permanently RECORD heart sounds. Any portion of the heart sounds may be permanently recorded upon magnetic discs, which may then be played back and viewed at any time. When used in combination with the "Versa-Scribe" or "Simpli-Scribe" Electrocardiograph, the electrocardiogram may be viewed upon the cathode-ray screen of the Recorder while listening to the heart sounds.

CAMBRIDGE ALSO MAKES

EDUCATIONAL CARDIOSCOPE—For teaching electrocardiography and auscultation by audio-visual demonstration. The EKG, heart sounds and other physiological phenomena may be shown continuously on the 17-inch oscillograph screen. A tape recorder provides a permanent record of heart sounds which may be played back at any time for visual and audio demonstration in lieu of patients.


PLETHYSMOGRAPH—Records variations in volume of extremities as determined by the state of fullness of the blood vessels.

ELECTROKYMOGRAPH—Produces a continuous record of heart border motion at chosen points along the cardiac silhouette.

RESEARCH pH METER—For biological and research work. Sensitive to .005 pH, readings reproducible to .01 pH.

FOR MEASURING RADIOACTIVE EMISSION—Laboratory and Personnel instruments available.

Pulmonary Function Tester



A completely integrated, easy-to-use instrument for the determination of such functions as Functional Residual Capacity, Tidal Volume, Vital Capacity, Total Lung Capacity, Total Breathing Capacity, Basal Metabolic Rate, etc.

*Send for
Descriptive Literature*

CAMBRIDGE INSTRUMENT CO., INC.

3744 Grand Central Terminal, New York, N. Y.

Cleveland 11, Ohio
13000 Triskett Road


Detroit 2, Mich.
7410 Woodward Avenue

Oak Park, Ill.
6605 West North Avenue

Jenkintown, Pa.
479 Old York Road

Silver Spring, Md.
933 Gist Avenue

PIONEER MANUFACTURERS OF THE ELECTROCARDIOGRAPH



the Parke-Davis family of anticonvulsants

...an appropriate anti-epileptic for every clinical need

**for grand mal
and psychomotor seizures**

Dilantin®
Phelantin®

Sodium (diphenylhydantoin sodium, Parke-Davis) is supplied in many forms—
including Kapseals® of 0.03 Gm.
and of 0.1 Gm. in bottles of 100 and 1,000.

Kapseals (Dilantin 100 mg.,
phenobarbital 30 mg., desoxyephedrine
hydrochloride 2.5 mg.), bottles of 100.

Celontin®
Milontin®

for the petit mal triad


Kapseals (methsuximide, Parke-Davis)
0.3 Gm., bottles of 100.

Kapseals (phensuximide, Parke-Davis)
0.5 Gm., bottles of 100 and 1,000.
Suspension, 250 mg. per 4-cc.
teaspoon, 16-ounce bottles.

PARKE, DAVIS & COMPANY • DETROIT 32, MICHIGAN




45058



ANSWERING DOCTORS' QUESTIONS . . .

about the **SANBORN Model 300 Visette** electrocardiograph



The text and pictures in this new 12-page booklet tell the story of the Sanborn Visette ECG in a unique way: *as answers to actual questions asked by hundreds of doctors* — at medical conventions, in correspondence, in conversations with Sanborn people. Many of these questions are probably ones you might also ask, to get a clear picture of just how a Visette might fit into *your own* practice and diagnostic procedures. Here are facts you can use, presented from the *doctor's* point of view.

On simplicity and ease of Visette operation, for example, the booklet pictures and describes such features as *automatic stylus stabilization*, as leads are switched; *pushbutton* grounding; *automatic* shut-off when the cover is closed; *quick, jam-proof* paper loading, in seconds. And graphic proof of *true portability* — that allows you to take a Visette on any call — is dramatically illustrated by the Visette's 18 pound weight and "brief case" size. Your nurse or technician can carry a Visette as easily as a portable typewriter, and this modern 'cardiograph takes the same space on her desk as a letterhead!

Your colleagues' questions — answered by those who designed and built this first truly portable ECG — can have special value to you. Send for your copy of this useful booklet now. And when you would like a Visette demonstration in your own office, or details of the no-obligation, 15-day Trial Plan, call the Sanborn representative in your area.

The familiar Model 51 Viso Cardiette — in use today throughout the world — is available as always. This larger, heavier (34 lb.) instrument is the "office standard" in thousands of practices. Price \$785 delivered.



SANBORN COMPANY

MEDICAL DIVISION

175 WYMAN STREET, WALTHAM 54, MASS.

New York Branch Office 1860 Broadway, Circle 7-5794 and 7-5795



In Biliary Distress

ZANCHOL[®]

Improves Flow and Color of Bile

Zanchol (brand of florantyrone), a distinct chemical entity unrelated to the bile salts, provides the medical profession with a new and potent hydrocholeretic for treating disorders of the biliary tract.

The high degree of therapeutic activity of this new compound and its negligible side reactions yield distinct clinical advantages.

- Zanchol produces a bile low in sediment.
- Zanchol enhances the abstergent quality of bile.
- Zanchol produces a deep, brilliant green bile, regardless of its original color, suggesting improved hepatic function.

- Zanchol improves the flow and quantity of bile without increasing total bile solids.

Bile with these qualities minimizes biliary stasis, reduces sediment and debris in the bile ducts and discourages the ascent of infection.

For these reasons ZANCHOL has shown itself to be a highly valuable agent in chronic cholecystitis, cholangitis and care of patients following cholecystectomy.

Administration: One tablet three or four times a day. Zanchol is supplied in tablets of 250 mg. each. G. D. Searle & Co., Chicago 80, Illinois. Research in the Service of Medicine.

SEARLE

throughout the practice of medicine . . .

anxiety

either alone or complicating physical illness

General Practice

Pediatric Psychiatry

Metabolic Disorders

The Neuroses

Neurology

Neuromuscular Disorders

General Surgery

Gastroenterology

Ob. & Gyn.

Cardiology

Dermatology

Allergy




Meproban



Philadelphia 1, Pa.

Meprobamate, Wyeth

relieves tension—mental and muscular



ELORINE CHLORIDE^{*} REDUCES GASTRIC SECRETION AND G-I MOTILITY

Especially valuable in the management of peptic ulcer patients

The selective anticholinergic action of 'Elorine Chloride' has been shown to produce a "pronounced and significant" decrease in mean gastric volume, free and total acid, and pepsin output.¹ It also effectively reduces hypermotility of the gastro-intestinal tract (except the esophagus). Other conditions in which 'Elorine Chloride' is valuable include functional digestive disorders, acute pancreati-

tis, diverticulitis, pylorospasm, and excessive sweating.

Dosage should be tailored to patient tolerance. In peptic ulcer, the average adult dose ranges from 100 to 250 mg. three or four times daily. 'Elorine Chloride' is available in pulvules of 50 and 100 mg.

^{*}'Elorine Chloride' (Tricyclamol Chloride, Lilly)

1. Sun, D. C. H., and Shay, H.: A.M.A. Arch. Int. Med., 97:442, 1956.


ELI LILLY AND COMPANY • INDIANAPOLIS 6, INDIANA, U.S.A.

868000

Dramamine-DTM

brand of dimenhydrinate with dextro-amphetamine sulfate

adds the alertness factor
to antiemetic therapy



Dramamine-D keeps patients alert and cheerful while it controls nausea and dizziness. Available on prescription only.

Indications: vertigo; nausea and vomiting of pregnancy, travel sickness and other conditions.

Adult dosage: one tablet every 4 to 6 hours.

Each scored, orange-colored tablet of Dramamine-D contains 50 mg. of Dramamine® and 5 mg. of dextro-amphetamine sulfate.

References on the combination of these two drugs available on request.



SEARLE

to relieve edema of

DIURIL[®].....

CHLOROTHIAZIDE

FINNERTY, F. A., Buchholz, J. H. and Tuckman, J.: J.A.M.A. **166**:141,
Jan. 11, 1958.

DIURIL (Chlorothiazide) given alone to 85 patients, “. . . caused an excellent diuresis, with reduction of edema, weight, blood pressure, and albuminuria. . . . The average effective dose was found to be 1 Gm. per day by mouth. . . . The usually excellent response coupled with the absence of significant toxicity and lack of development of drug resistance makes chlorothiazide ideal for the prevention and treatment of toxemia.”

DOSAGE: one or two 500 mg. tablets of DIURIL once or twice a day.

SUPPLIED: 250 mg. and 500 mg. scored tablets DIURIL (chlorothiazide);
bottles of 100 and 1,000.

DIURIL is a trademark of Merck & Co., Inc.


©1958 Merck & Co., Inc.

MERCK SHARP & DOHME Division of MERCK & CO., Inc., Philadelphia 1, Pa.



pregnancy

**...caused an excellent
diuresis, with
reduction of edema,
weight, blood pressure,
and albuminuria...."**



ANY INDICATION FOR DIURESIS IS AN INDICATION FOR

DIURIL

**DOCTORS
PARKING
ONLY**

7AM - 7PM

**QUIET
ZONE**



ACHROMYCIN® V

Tetracycline and Citric Acid Lederle

A Decision of Physicians

When it comes to prescribing broad-spectrum antibiotics, physicians today most frequently specify ACHROMYCIN V.

The reason for this decided preference is simple.

For more than four years now, you and your colleagues have had many opportunities to observe and confirm the clinical efficacy of ACHROMYCIN tetracycline and, more recently, ACHROMYCIN V tetracycline and citric acid.

In patient after patient, in diseases caused by many invading organisms, ACHROMYCIN achieves prompt control of the infection—and with few significant side effects.

The next time your diagnosis calls for rapid antibiotic action, rely on ACHROMYCIN V—the choice of physicians in every field and specialty.



LEDERLE LABORATORIES

a Division of AMERICAN CYANAMID COMPANY
Pearl River, New York

supporting evidence substantiates **Veratrite®**

... confidently prescribed more than 8,863,769 times

Specificity . . . the influence upon the sympathetic nervous system, with resultant reduction in blood pressure, and

Safety . . . from the hemodynamic viewpoint, by lowering the arterial pressure without significantly affecting cardiac output . . .

are but two reasons many physicians find Veratrite the antihypertensive of choice in treating geriatric patients, because it can be safely used in patients who cannot tolerate stronger drugs.

Veratrite, a product of continuous Neisler research, now contains Cryptenamine, a newly isolated alkaloid fraction—which lowers blood pressure safely . . . dependably . . . and without annoying side effects.

Each Veratrite tabule contains:

Cryptenamine (tannates)	40 C.S.R.† Units
Sodium nitrite	1 gr.
Phenobarbital	¼ gr.

†Carotid Sinus Reflex

Neisler

Irwin, Neisler & Co. • Decatur, Illinois

THIASTIGMINE®

EFFECTIVE THERAPY FOR PROMPT RELIEF IN THE TREATMENT OF

- NEURITIS
- NEURALGIAS
- HERPES ZOSTER • • •

For Intramuscular Use

FORMULA:

Each cc. contains a stabilized aqueous solution of Thiamine HCl. (B₁) 100 mg., Neostigmine Methylsulfate 0.5 mg., and Atropine Sulfate 1/300 gr.

SUPPLIED:

KIRK No. 339 10 cc. multiple dose rubber capped vial.

KIRK No. 347 1 cc. ampul in boxes of 12, 25 and 100.

C. F. KIRK CO.

Pharmaceutical & Biological Laboratories

NEW YORK 11, N. Y.

Reprints and samples on request.
Write Dept. 8

THEO. E. OBRIG, INC.

specialists in fitting contact lenses for more than a quarter century

Theo. E. Obrig, Inc. fits contact lenses only upon prescription and under the supervision of a physician.

Expert in fitting all types of contact lenses including Lacrilens® and latest forms of cornea lenses.

Lacrilens® and corneal type lenses can be worn for long periods of time in aphakia.

Lacrilens® is particularly recommended for all sports including swimming.

Careful attention to referred cases.

Theo. E. Obrig, Inc. • 49 East 51st Street, New York 22, N. Y. • PLaza 8-0973

HEMORRHOID PRONE...

Constantly on her feet

PNS[®] SUPPOSITORIES

OFFER DAY-TO-DAY COMFORT

Evaluating PNS suppositories in 151 patients with hemorrhoids and other benign proctologic disorders, Kety¹ found that...

"... patients were relieved of pain, discomfort and other symptoms, often for long periods of time, and in most instances they were able to continue their usual occupations while under treatment. This, it should be emphasized again, is one of the very real advantages of this method."¹

the comprehensive formula of PNS suppositories provides:

RELIEF OF PAIN

Pontocaine[®] hydrochloride (10 mg.)
— long acting, nonirritating anesthetic

REDUCTION OF ENGORGEMENT

Neo-Synephrine[®] hydrochloride (5 mg.)
— reliable decongestant

PROTECTION AGAINST INFECTION

Sulfamylon[®] hydrochloride (200 mg.)
— potent anti-infective, active against wide range of organisms


Average dose: 1 suppository rectally after each bowel movement and on retiring.

Supplied: Boxes of 12.

Winthrop LABORATORIES, NEW YORK 18, N. Y.

1. Kety, S. S.: A medical regimen for benign rectal disorders. *GP* 10:76, Nov., 1954.

PNS, Pontocaine (brand of tetracaine), Neo-Synephrine (brand of phenylephrine) and Sulfamylon (brand of mafenide), trademarks reg. U.S. Pat. Off.



Herald Square, N. Y.

Roosevelt Field, Long Island

Parkchester, Bronx

Jamaica, Queens

White Plains, N.Y.


Flatbush, Brooklyn



MACY'S PRESCRIPTION DEPARTMENT

Macy's respects professional ethics. We carefully avoid discussing your prescription, either its ingredients or its use, with your patient. You can be assured that all your prescriptions are accurately compounded exactly as you write them. And all our preparations, made from the finest ingredients obtainable, are carefully checked by our supervising pharmacists.

No wonder so many physicians prefer Macy's Prescription Department.



SATISFACTION GUARANTEED

**Specialists in Plastic and Glass
Artificial Human Eyes Exclusively**

Referred Cases Carefully Attended

FRIED & KOHLER, Inc.

665 FIFTH AVENUE near 53rd Street
NEW YORK, N. Y. Tel. ELdorado 5-1970

For acidosis due to anesthesia — edema

KALAK

Counter-Acts

ANTI-BIOTIC REACTIONS



... KALAK is a non-laxative, alkaline diuretic buffer — side reactions from aureomycin — terramycin — sulfas — penicillin are reduced through the use of KALAK — KALAK

contains only those salts **NORMALLY** present in plasma. . . IT IS BASIC!

**KALAK WATER CO.
of NEW YORK, Inc.**

207 EAST 37TH STREET
New York 16, N. Y.

For acidosis due to nausea — in nephritis

new, lifesaving

Furadantin[®]

brand of nitrofurantoin

intravenous solution for severe infections



A WIDE RANGE OF CLINICAL USEFULNESS...

in systemic infections such as septicemia (bacteremia), peritonitis, and other bacterial infections as of postoperative wounds and abscesses. *In severe genitourinary tract infections* when the patient is unable to take FURADANTIN per os.


... AND A WIDE RANGE OF BACTERICIDAL EFFECTIVENESS...

wide-spectrum activity against most common pathogens • clinically effective against many antibiotic- or sulfonamide-resistant genera such as *Aerobacter*, *Staphylococcus*, *Proteus*, and certain strains of *Pseudomonas*.

... WITH CERTAIN UNIQUE ADVANTAGES

- negligible development of bacterial resistance
- no reports of renal, hematopoietic or hepatic toxicity
- no monilial superinfection
- safe for continuous use without danger of thrombophlebitis

Full dosage instructions and discussion of indications and side effects are enclosed in each package. FURADANTIN *Intravenous Solution* is available to all hospital pharmacies.

NITROFURANS—a new class of antimicrobials— 
neither antibiotics nor sulfonamides

EATON LABORATORIES, NORWICH, NEW YORK

premenstrual

'DIURIL'

(CHLOROTHIAZIDE)

FORD, R. V., Rochelle, J.B.III, Handley, C. A., Moyer, J. H. and Spurr, C. L.:
J.A.M.A. **166**:129, Jan. 11, 1958.

"... in premenstrual edema, convenience of therapy points to the selection of chlorothiazide, since it is both potent and free from adverse electrolyte actions." In the vast majority of patients, 'DIURIL' relieves or prevents the fluid "build-up" of the premenstrual syndrome. The onset of relief often occurs within two hours following convenient, oral, once-a-day dosage. 'DIURIL' is well tolerated, does not interfere with hormonal balance and is continuously effective—even on continued daily administration.

DOSAGE: one 500 mg. tablet 'DIURIL' daily—beginning the first morning of symptoms and continuing until after onset of menses. For optimal therapy, dosage schedule should be adjusted to meet the needs of the individual patient.

SUPPLIED: 250 mg. and 500 mg. scored tablets 'DIURIL' (chlorothiazide); bottles of 100 and 1,000.

DIURIL is a trade-mark of Merck & Co., Inc.


MERCK SHARP & DOHME Division of MERCK & CO., Inc., Philadelphia 1, Pa.



tension

(EDEMA)

quickly relieves
Distress
Distention
Discomfort



ANY INDICATION FOR DIURESIS IS AN INDICATION FOR 'DIURIL'

open

the airway with new
'FEDRAZIL'[®] TABLETS

when colds or allergies
congest the respiratory tract

- decongest the **entire** respiratory tract mucosa
- dilate the bronchi
- provide potent **anti-allergic** action

DOSAGE: *Adults and Children over 8 years*—
1 or 2 tablets, three times daily.

Children 2-8 years—1 tablet daily, or as required.

Each tablet contains: 'Sudafed'[®] brand Pseudoephedrine Hydrochloride, 30 mg.; 'Perazil'[®] brand Chlorcyclizine Hydrochloride, 25 mg. Bottles of 100, sugar-coated.



BURROUGHS WELLCOME & CO. (U.S.A.) INC., Tuckahoe, New York

Vita-Metrazol

elixir and tablets

reactivates

A general tonic indicated in geriatrics, fatigue and senility — where apathy is the dominating symptom.



Contains Metrazol with selected vitamins.

Usual Dose: 1 or 2 tablets or teaspoonfuls of Vita-Metrazol 3 or 4 times daily.

Availability: Elixir in pint bottles, tablets in bottles of 100.

Metrazol®, brand of Pentylenetetrazol, E. Bilhuber, Inc.

KNOLL PHARMACEUTICAL COMPANY

**ORANGE
NEW JERSEY**

**PROTEIN-BOUND IODINE
TOTAL IODINE**

PAPER ELECTROPHORESIS

CATECHOL-AMINES

STEROID CHEMISTRY

CLINICAL CHEMISTRY

**BOSTON MEDICAL
LABORATORY**

Directors

JOSEPH BENOTTI NORBERT BENOTTI

Medical Director

FRANCESCA M. RACIOPPI, M.D.

**19 Bay State Road
Boston 15, Mass.**

CO 6-3402

PROMPT SERVICE

soothing, aseptic

IRRIGOL . . .

for vaginal douche . . .

for quantity irrigations




*send for
clinical
sample*

THE ALKALOL COMPANY, Taunton 4, Mass.



WARNER
CHILCOTT



protection against angina pectoris
in every walk of life

to **prevent attacks**

Peritrate® 20 mg. (brand of pentaerythritol tetranitrate)

the accepted basic therapy in the treatment of coronary disease


- reduces the frequency and severity of attacks
- increases exercise tolerance
- lowers nitroglycerin dependence
- improves abnormal EKG findings

to relieve the **acute attack**
sublingual

Peritrate with Nitroglycerin

replaces ordinary nitroglycerin in the patient taking Peritrate
(not meant to replace Peritrate)

- provides immediate relief of pain
- automatically supplies an increased level of Peritrate for additional protection during the stress period



the clinical results are **positive** when

NILEVAR[®] restores positive nitrogen balance

The anabolic effects of Nilevar are quickly manifest both to the patient and to the attending physician.

When loss of nitrogen delays postsurgical recovery or stalls convalescence after acute illness and in severe burns and trauma, Nilevar has been found to effect these responses:

- Appetite improves
- The patient feels better
- Weight increases
- The patient recovers faster


Similarly Nilevar helps correct the "protein catabolic state" associated with prolonged bed rest in carcinomatosis, tuberculosis, anorexia nervosa and other chronic wasting diseases.

Nilevar is unique among anabolic steroids in that androgenic side action is minimal or absent in appropriate dosage.

Nilevar (brand of norethandrolone) is supplied as tablets of 10 mg. and ampuls (1 cc.) of 25 mg. The dosage for adults is 20 to 30 mg. daily in single courses no longer than three months. For children the daily dosage is 0.5 mg. per kilogram of body weight, in single courses no longer than three months.

SEARLE

Research in the Service of Medicine.
G. D. SEARLE & CO., CHICAGO 80, ILLINOIS



TABLET

Cantil[®] for the colon plain or with phenobarbital

"...the most effective available colonic anticholinergic drug."

"...relieves or reduces diarrhea, distention and pain in many patients with functional or organic colon disorders."²

EFFECTIVE: in ulcerative colitis, irritable colon, mucous colitis, spastic colitis, diverticulitis, diverticulosis, rectospasm, diarrhea following G.I. surgery, bacillary and parasitic disorders.

SELECTIVE: activity "...confined principally to the lower gastro-intestinal tract..."³ and "...singularly free of anticholinergic side-effects..."² such as blurred vision, dry mouth, urinary retention.

CANTIL (plain)—Each scored tablet contains 25 mg. of CANTIL. Bottles of 100 yellow compressed tablets.
CANTIL with Phenobarbital—Each scored tablet contains 25 mg. of CANTIL and 16 mg of phenobarbital (warning: may be habit forming). Bottles of 100 cocoa-brown compressed tablets. CANTIL is the *only* brand of the postganglionic parasympathetic inhibitor N-methyl-3-piperidyl-diphenylglycolate methobromide.

(1) Kleckner, M. S., Jr.: J. Louisiana M. Soc. 108:359, 1956. (2) Riese, J. A.: Am. J. Gastroenterol. 28:541, 1957. (3) Kleckner, M. S., Jr.: Clin. Proc. 5:19, 1957.

 **LAKESIDE**